Applied Statistics


Minuit output explained














Troels C. Petersen (NBI)



"Statistics is merely a quantisation of common sense"

Migrad

FCN = 109.1 Nfcn = 98

EDM = 5.22e-05 (Goal: 0.0002)

Valid Minimum

No Parameters at limit

Below EDM threshold (goal x 10)

Below call limit

Covariance


Hesse ok

Accurate Pos. def. Not forced

Minuit Output

	Name	Value	Hesse Error	Minos Error-	Minos Error+	Limit-	Limit+	Fixed
0	Nexp	4.82e3	0.08e3					
1	tau	2.58	0.05					
2	Ngauss	1.04e3	0.05e3					
3	mu	3.129	0.013					
4	sigma	0.269	0.012					

	Nexp	tau	Ngauss	mu	sigma
Nexp	6.14e+03	0.576 (0.158)	-1.1e+03 (-0.307)	0.0297	-0.221 (-0.236)
tau	0.576 (0.158)	0.00218	-0.236 (-0.111)	-2.35e-05 (-0.039)	-4.71e-05 (-0.085)
Ngauss	-1.1e+03 (-0.307)	-0.236 (-0.111)	2.08e+03	-0.0326 (-0.056)	0.209 (0.385)
mu	0.0297	-2.35e-05 (-0.039)	-0.0326 (-0.056)	0.000165	-5.58e-06 (-0.036)
sigma	-0.221 (-0.236)	-4.71e-05 (-0.085)	0.209 (0.385)	-5.58e-06 (-0.036)	0.000142



Migrad														
F	FCN = 109.1					Nfo	n = 98	}						
E	EDM = 5.	22e-0)5 (Go	al: 0.000)2)									
	,	Valid I	Minim	um		No	Paran	neters	at limit					
E	Below ED	M thr	resholo	d (goal x	10)		Below	call li	mit					
	Covari	ance		Hesse o	k A	ccurate	Pos	. def.	Not forced					
	Nan	ne \	Value	Hesse	Error	Minos	Error	- Mir	nos Error+	Limit-	Limit+	Fixed		
() Ne	(p 4.	.82e3	(0.08e3		General cross c			check	s of fit	valid	lity:	
-	l ta	au	2.58		0.05					nimum valid?				
2	2 Ngau	ss 1.	.04e3	(0.05e3		Are any parameters at their limit?							
:	3 n	nu (3.129		0.013					ough to true minimum? r calls than maximum? riance matrix good?				
4	sign	na (0.269		0.012		A							
	Nexp						s Hesse	algorit	thm sa	tisfied	_	ıma		
	Nexp		6.1	14e+03	0	.576	Was the fit accurate? Was the Covariance matrix Pos. Def?					236)		
	tau	(0.576	(0.158)		0		_	had it to			_		185)
ı	Ngauss	-1.16	e+03 (-0.307)	-0.:	236 (-0	.111)		2.08e+03	-0.0	326 (-0.0	56)	0.209 (0	.385)
	mu			0.0297	-2.35e	-05 (-0	.039)	-0.0	326 (-0.056)		0.0001	165 -5	.58e-06 (-0	.036)
	sigma	-0	.221 (-0.236)	-4.71e	-05 (-0	.085)	0	.209 (0.385)	-5.586	e-06 (-0.0	36)	0.00	0142

Migrad							
FCN = 109.1			Nfcn = 98	3			
EDM = 5.22e-05 (Goal: 0.0002)						
Valid Mir	No F	arameters	at limit				
Below EDM thres) Below call limit						
Covariance	Hesse ok	Accurate	Pos. def.	Not forced			


	Name	Value	Hesse Error
0	Nexp	4.82e3	0.08e3
1	tau	2.58	0.05
2	Ngauss	1.04e3	0.05e3
3	mu	3.129	0.013
4	sigma	0.269	0.012

Minos Error- Minos Error+ Limit- Limit+ Fixed

Fitting parameter result:

Parameter number, name, value, and uncertainty (assumed symmetric).

	Nexp	tau	Ngauss	mu	sigma
Nexp	6.14e+03	0.576 (0.158)	-1.1e+03 (-0.307)	0.0297	-0.221 (-0.236)
tau	0.576 (0.158)	0.00218	-0.236 (-0.111)	-2.35e-05 (-0.039)	-4.71e-05 (-0.085)
Ngauss	-1.1e+03 (-0.307)	-0.236 (-0.111)	2.08e+03	-0.0326 (-0.056)	0.209 (0.385)
mu	0.0297	-2.35e-05 (-0.039)	-0.0326 (-0.056)	0.000165	-5.58e-06 (-0.036)
sigma	-0.221 (-0.236)	-4.71e-05 (-0.085)	0.209 (0.385)	-5.58e-06 (-0.036)	0.000142



		_
	200	- 4
IVI.	or.	10

FCN = 109.1 Nfcn = 98

EDM = 5.22e-05 (Goal: 0.0002)

Valid Minimum No Parameters at limit

Below EDM threshold (goal x 10) Below call limit

Covariance Hesse ok Accurate Pos. def. Not forced

	Name	Value	Hesse Error	Minos Error-	Minos Error+	Limit-	Limit+	Fixed	
0	Nexp	4.82e3	0.08e3						
1	tau	2.58	0.05	Fitting	parameter (Covari	ance n	natriv	
2	Ngauss	1.04e3	0.05e3		elation mat				
3	mu	3.129	0.013		our scheme		_		
4	sigma	0.269	0.012						

	Nexp	tau	Ngauss	mu	sigma
Nexp	6.14e+03	0.576 (0.158)	-1.1e+03 (-0.307)	0.0297	-0.221 (-0.236)
tau	0.576 (0.158)	0.00218	-0.236 (-0.111)	-2.35e-05 (-0.039)	-4.71e-05 (-0.085)
Ngauss	-1.1e+03 (-0.307)	-0.236 (-0.111)	2.08e+03	-0.0326 (-0.056)	0.209 (0.385)
mu	0.0297	-2.35e-05 (-0.039)	-0.0326 (-0.056)	0.000165	-5.58e-06 (-0.036)
sigma	-0.221 (-0.236)	-4.71e-05 (-0.085)	0.209 (0.385)	-5.58e-06 (-0.036)	0.000142

Fitting is an art...

It is important to check the Minuit output, as failed fits might still yield values, that your code would then go on to use subsequently!

The art of fitting lies in getting good convergence, and the best conditions for this are:

- Good initial starting values!
- Minimised correlation between fit parameters.
- Low number of fit parameters at least to begin with.
- Good binning (if fitting histogram) and fit range.
- Using a ChiSquare fit (at least to begin with).

Even with these precautions, there is no guarantee that your fit will converge, but in this case, you might have to reconsider your data quality and quantity.